# Suzy's Little Peanuts Day School, LLC - Illness Policy

Updated July 2024

Illness/Disease & Incubation	Signs/Symptoms	Exclusion & Return
Cold/ Flu/ COVID Symptoms *See COVID below*	Runny/stuffy nose, scratchy throat, coughing, sneezing, watery eyes, and fever.	Exclude if multiple symptoms. Return when 100% symptom free for 24 hours without the aid of medication OR a doctor's note clears them to return and child feels well. *See COVID below.*
Cough *See Pertussis and RSV below*	Dry or wet cough, runny nose, sore throat, throat irritation, hoarse voice, barking cough.	Exclude if severe cough, rapid and/or difficult breathing, wheezing(if not already evaluated & treated, Cyanosis. Return when symptoms are 100% resolved or a doctor's note clears them to return and child feels well.
<b>Pinkeye (Conjunctivitis)</b> 12-72 hours	Red or pink, itchy, watering painful eyes, sensitivity to light, green or yellow discharge, swollen eyelids, eyes stuck shut in the morning.	Exclude until ALL discharge is gone or antibiotic is taken for 24 hours.
<b>Diarrhea</b> 14-16 hours	Two or more abnormally loose or frequent stools and/or that cannot be contained in the toilet or diaper.	Exclude until symptom free for 24 hours without the aid of medication.
Difficult or Noisy Breathing *See Pertussis and RSV below*	Stuffy nose, sore throat, cough, mild fever, chest discomfort, gasping, cyanotic, drooling, wheezing, whistling sound while breathing, space between ribs retracts while breathing, irritable and feel unwell.	Exclude if fever accompanied by behavior change, looks or acts very ill, has difficulty breathing, blood red/purple rash not associated. Return when symptoms have greatly improved, diagnosed by a doctor and child feels well.
Fever	100.4 F temperature or higher	Exclude until symptom free for 24 hours without the use of medication.
Head Lice Eggs hatch in 7 days/1 week (multiply quickly)	Severe itching, small lice eggs (nits), bumpy rash on nape of neck, behind ears and/or crown of head	Exclude until the child and household have been treated and ALL nits have been removed.
Mouth Sores *See Strep throat/Scarlet Fever below*	White patches on tongue & along cheeks, pain on swallowing, fever, painful yellowish spots, swollen neck glands, cold sore, reddened swollen painful lips, painful ulcers on cheeks or gums.	Exclude after diagnosis, if drooling steadily, unable to participate. Return when diagnosed by a doctor and child feels well.

### The following symptoms/illnesses/diseases will exclude your child from care:

## Suzy's Little Peanuts Day School, LLC - Illness Policy

		Updated July 2024
Rash *See Chicken Pox, Scabies, Impetigo, Measles, Ringworm, Hand, Foot & Mouth and Rosella below*	Could be different with every case. Determining the cause of a rash requires a competent health professional evaluation.	Exclude if rash occurs with behavior change, has oozing/open wound, has bruising not associated with injury, has joint pain, tender red area of size, unable to participate. Return after a doctor has diagnosed, treatment given and child feels well
Vomiting	Vomiting, stomach pain	Exclude until 100% symptom free for 24 hours without the aid of medication and the child feels well.

If your child is unable to participate in our program's activities or they have multiple symptoms they will be sent home.

#### Please let us know ASAP if your child is diagnosed with any of the following. The following are contagious illnesses that we need to post for all families:

Illness/Disease & Incubation	Signs/Symptoms	Exclusion & Return
COVID Symptoms	Fever, chills, cough, shortness of breath or difficulty breathing, muscle or body aches, headache, new loss of smell or taste, sore throat, congestion or runny nose, nausea or vomiting, diarrhea	Exclude until 100% symptom free for over 24 hours.
Chicken Pox (Varicella)	Fever, skin eruption with blister like lesions	Exclude until all the blisters have dried.
Hand, Foot & Mouth 3-6 days	Small blisters with reddened base primarily on hands, feet, mouth, tongue, buttocks or throat	Exclude during acute symptoms and lesions are not weeping. Return when child is eating normally and feels well.
Impetigo 1-10 days	Blisters, crusts, scabs on skin which are flat and yellow may be weeping.	Exclude until antibiotic taken for 24 hours and lesions are no longer weeping and forming a yellow crust.
Measles	Fever, red eyes, cough, spots on tongue and mouth, blotchy rash 3rd & 7th day, usually lasting 4-7 days	Exclude from the time of initial fever until 4 days after the rash appears.
<b>Meningitis</b> 1-10 days	Fever, headache, vomiting, chills, neck pain or stiffness, muscle spasm, irritability	Exclude until a doctor gives permission to return after treatment.
Pertussis	Irritating cough can last 1-2 months, often has a"whooping" sound	Exclude until an antibiotic is taken for 5 full days.

# Suzy's Little Peanuts Day School, LLC - Illness Policy

		Updated July 2024
Ringworm 4-10 days	Red, scaling, itchy, circular lesions	Exclude unless on prescription and lesions are coverable
<b>RSV</b> 1-10 days	Fever, runny nose, cough, and sometimes wheezing	Exclude until 4 days after symptoms start, fever free 24 hours and can tolerate normal activities.
<b>Roseola</b> 9-10 days	High sudden fever, runny nose, irritability, followed by rash on trunk	Exclude until fever free for 24 hours and child feels well.
Scabies 2-6 weeks-initial exposure 1-4 days- reexposure	Mite burrows under skin. Red, itchy rash tends to be in lines or burrows usually on wrist, elbow creases or between fingers.	Exclude for 24 hours after treatment is completed.
<b>Strep Throat/ Scarlet Fever</b> 1-3 days	Red, painful throat, fever, rash	Exclude until taken an antibiotic for 24 hours and no fever.

\* This list does not include everything that would exclude your child\*

\*\*All of the above are a result of or inconsideration of VT CDD & CDC regulations.\*\*